



EXTERIOR

 **ALUE**
VISUAL ALUMINIUM EXCELLENCE

GUIDEBOOK SEMI-FINISHED PRODUCTS

Way Finding Solutions

Features



Solid everlasting and multifunctional.

The Exterior product line was created for demanding exterior (but also interior) compositions.

This versatile system, merged or not with other materials, results in creative and durable formations.



Features

- Post, bar and panel system
- A base for different creations and designs
- Modular and durable
- Can be combined with most (even existing) posts
- 4 different standard heights
- Choice between two different interlocking systems
- Transverse mounting or "flagging" (on posts) in all directions.
- Inserts of large message panels possible
- Also suitable for indoor applications
- Also suitable for creation of modular stands



Triline®



4

EXTERIOR


VALUE
VISUAL ALUMINIUM EXCELLENCE

	page
Products	4.3
Assembling	4.4
Double posts	4.6
Flags	4.8



Box profiles


Besides offering the normal lettering applications, the TLB50, TLB100 and TLB250 also give you the possibility to create (large) message panels, inserting materials with a thickness up to 9mm/0.35".



Article code	width frame	Insert measure
TLB50-B	50mm / 1.22"	9mm / 0.35"
TLB100-B	100mm / 1.22"	9mm / 0.35"
TLB150-B	150mm / 2.44"	-
TLB250-B	250mm / 2.44"	9mm / 0.35"
TLBEV-B	-	9mm / 0.35"
TLPR60-B	-	9mm / 0.35"
TLPR90-B	-	9mm / 0.35"
TLAD2-B	-	2.5mm / 0.098"

Box end caps

Synthetic end caps for box profiles, used for flag signs.



Fixation profiles

The TLBEV can be fixed onto any kind of (existing) standard post, offering endless possibilities for creating exterior sign constructions (for example triangular, square etc.) and multiple flag signs.



Cover profile

To cover open spaces and to determine distance between profiles, the cover profile can be slid in the TLBEV, and in the posts TLPR60/90.



Cap

Synthetic top and bottom end cap for the TLBEV profile.



Posts


Aluminium round posts, with one slot.
Two measures
Ø 60mm / 2.36"
Ø 90mm / 3.54"

Standard length: 3500mm / 137.80"
Other lengths on request until 6000mm / 236.22"



Lock possibility 1.

To be used for fixing the box profiles to the posts TLPR60, TLPR90 and the TLBEV profile. We recommend to use the TLSLO in large, exterior constructions.



Lock possibility 2.

TLPBE-B is created to fix the box profiles onto the TLBEV profile. In this case you avoid to drill in the view side of the box profiles. The fixation piece can be glued (AG01) on the box profiles, while the top and bottom box profiles are locked with TLSCR1 & TLSCR2



Post caps

Aluminium round end caps, for posts: TLPR60 & TLPR90
In combination with TLSCR2.



Adapter


Aluminium profile for reducing the standard 9mm insert measure to 2.5mm / 0.098" in the TLPR60/90 and box profiles.



Single bases


Steel bases, with a metal protection coating (galvanised) to fix our posts such as TLPR60 & TLPR90. Material thickness of the floor base is 8mm/0.31".

Other sizes/models and colours on request.




Assembling

Two standard posts of 60 & 90mm with one slot, four standard profiles with two locking possibilities. A fixation profile that makes any exterior creation possible. A "NEW" adapter profile that gives more stability when thin plate materials are used like alu or iron. Ideal for personnel signs, parking signs, flag signs, directional signs, stands and more...



APPLICATIONS
Triline® profiles
Vinyl lettering Digital printing Screen printing


INSERTS
Triline® profiles
Three box profiles offer the possibility to insert any kind of material with a thickness up to 9mm / 0.35".



MOUNTING POSSIBILITIES
Ground fixation
1 With single bases.
2 In foundation with cement.
Transverse
TLBEV profile mounted vertically with screw and plug.

Side track caps
Standard colours

Black -
Grey -



Please contact your local distributor for other colours, prices and delivery terms.


Profiles have a standard length of 3500mm / 137.80"
Standard finishes

Mill finish -
Silver anodized -
Gold anodized -





Please contact your local distributor for other finishes, lengths, prices and delivery terms.


EXTERIOR



Exterior – Double Posts 60



Double Posts




Note: The extra profiles can be used to extend the EXterior sign examples showed in this catalog.

For example: You need one EXterior sign of 1500mm length with three 150mm profiles and two flag signs 2500mm height with four direction "cross" 150mm profiles of 750mm length.


Your order: 1x Ext109
 2x Cf1101 =
 One EXterior sign of 1500mm height, with three 150mm profiles.
 Two Cross flag signs of 2500mm height, with four 150mm profiles "directions" of 750mm length.

EXTERIOR


Single 60



Double 90




Cross 90



Triline® the modular system made for the creative mind!



Wall mounted flag signs



This is only a selection of the endless combination possibilities that the Triline® system offers. You can't find what you need? Contact us and we will help you to find the solution!

EXTERIOR

